





General Features of Carton Flow

The versatile Interlake Mecalux Carton Flow system is made up of slightly inclined wheel and roller platforms. Goods are deposited on the high end of the rack allowing gravity to pull the products down to the far end, positioned at the exit aisle, creating a first-in/first-out picking system.


The racking for live picking requires a loading or replenishment aisle and a preparation aisle.


Advantages of the System

The most important benefits of the Carton Flow system are:

- Perfect product turnover
- **Greatest number of references** at the front of the rack
- **Reduced time** for order preparation
- Reduced personnel movement inefficiencies
- Greater storage capacity
- Optional compatibility with pick-tolight system

2 carton flow www.interlakemecalux.com






Optional Configurations

- **11/** Welded selective frame with Carton Flow punching
- 12/ Row spacer
- 13/ Tilt panel

The supplementary configuration options are not included with the basic components but are recommended to ensure the added security of your goods and efficiency of your system. Please contact an Interlake Mecalux representative to evaluate further options.






Standard Shelves


The shelf units with custom sized lanes are built using adjustable platforms made up of side panels, entry profiles, exit beams, cross-ties, miniralls and securing components.


Charge and discharge side of shelf frame can be individually adjusted (vertical location of the frame) in order to find the most ergonomic position. The rails can also be adjusted in order to find the ideal position for each box.

Shelf units with custom sized lanes may be installed into standard pallet rack frames or in stand-alone Carton Flow frames as shown below.



4 carton flow www.interlakemecalux.com









Frames

The Carton Flow frames are available in three different widths in the square configuration. This style is fully adjustable and supports multiple shelf units to create a first-in/first-out picking system (FIFO).

Contact your Interlake Mecalux sales representative for details.



















e-mail:info@interlakemecalux.com | www.interlakemecalux.com | 1.877.632.2589

Sales Offices

Chicago

1600 N. 25th Ave. Melrose Park, IL 60160 708-344-9999

Dallas

1520 Selene Drive Carrollton, TX 75006

San Diego

8607 Ave de la Fuente San Diego, CA 92154

Production Plants

Chicago 1600 N. 25th Ave. Melrose Park, IL 60160

Matamoros Las Rusias 2700, Industrial del Norte CP 87470 Matamoros, Tamps, Mexico

Tijuana

Blvd. Bellas Artes #9001 Ciudad Industrial Tijuana, Baja California, MX 22500

Pontiac

701 Interlake Drive Pontiac, IL 61764

Sumter

1925 Corporate Way Sumter, SC 29154

Offices Worldwide

Argentina, Belgium, Brazil, Canada, Chile, Czech Republic, France, Germany, Italy, Mexico, Panama, Peru, Poland, Portugal, Spain, Turkey, United Kingdom, USA, Uruguay











